





RENAULT OUTSIDE-SORTIMO INSIDE

made for professionals



Price List 2017/2018





+ FEATURES



Time is money – All the designs featured in this brochure are Xpress. Normal delivery time is 20 working days however Xpress offers a reduced delivery and installation time.



3 years warranty – Sortimo offers a 3 year guarantee on these products.



Upgrade – This very flexible product can be individually combined with other Sortimo products.



Crash tested - This product fulfils the high safety requirements of Sortimo. In co-ordination with the German TÜV, DEKRA and the ADAC, the equipment has been successfully crash-tested in simulated emergencies.



Lightweight yet robust - The product combines modern lightweight construction with the utmost stability.



ProSafe – The lashing point for the ProSafe hooks are integrated in the equipment and quickly ready for use.



CO₂ reduction – Based on modern lightweight construction, the weight of the equipment has been considerably reduced to save on petrol and reduce CO₂ emissions.

RENAULT AND SORTIMO – COMPREHENSIVELY CARE-FREE

Buving a vehicle is also a matter of trust

You have chosen a Renault CV because its quality and design have convinced you. But quality and design should not know any boundaries – in-vehicle equipment from Sortimo turns boundaries into open spaces and increases your professional benefits. We guarantee it.

Sortimo Xpress offers you the possibility to quickly prepare your service and workshop vehicles for your individual job requirements, ensuring that they are used economically.

Globelyst There is no time for compromise, Globelyst is the new in-vehicle equipment from Sortimo to perfectly fit the equipment requirements of your Renault Kangoo, Trafic or Master.

Globelyst scores points based on its modular system. You can extend your Globelyst system exactly to your wishes at a later stage by adding cases, BOXXes, drawers or trays for small and spare parts.

You need to transport large bulky parts? – No problem. **Cargo bars and lashing tracks** provide the ideal "seating" for all large items.


Trade specific accessories can be added very individually to Globelyst. Globelyst makes your job that much easier by offering many practical solutions for your work on site, such as a folding workbench.

VERY SMART - VERY SORTIMO.

If you do have any questions one of our many sales representatives will gladly answer it.



CRASH TESTED



Sortimo

We've driven our product into the wall - successfully

Load safety is high on the Sortimo list of priorities – including in case of a crash. At a barrier impact speed of 50 km/h, for example, a load of 550 kg reaches a peak load of approximately 12 tons. Your load stays where it is supposed to be, in place. Sortimo crashtests in co-operation with the German TÜV, Dekra and ADAC and literally drives its products into the wall.


Irrespective of the product, be it Globelyst, simpleco only those items withstanding the crash-test and fulfilling Sortimo's high safety requirements will be taken into the Sortimo range.

It is the crash test which decides which products we offer our customers.













ONE SYSTEM FOR ALL

The Sortimo L-BOXXes system convinces.


Many well known manufacturers already use our L-BOXXes as a transportation container or as wholesale packaging. This way our L-BOXXes are turning into partner apps for a variety of components such as tools or small parts. Where professionalism and mobility are concerned, Sortimo sets the industry standards.

For you as our customer the only thing that changes is the colour, because irrespective of who you buy a Sortimo BOXX with the functionality of the BOXX is not affected. The system remains the same and of course, it is compatiable with Sortimo Globelyst.











SORTIMO PARTNER APPS

FOR YOUR SUCCESS





























































PROSAFE SAFETY SERIES PRODUCTION





ProSafe is integrated as a standard in the load safety system from Sortimo.

The lashing belts and load safety nets can be hooked in uprights, frames, traverses and floor rails without difficulty. ProSafe makes load safety possible in no time at all.

Your benefits:

- √ You and your freight are safe on the road
- √ You preserve your material
- √ You save on time, weight and money





ProSafe bungee strapThe ProSafe bungee strap suits perfectly for the fixation of bulky goods in a vehicle.



CargoStopp ProSafe
The CargoStopp allows for reliable load safety on
the vehicle safety floor. It is inserted into the ProSafe floor
lashing point with its hook.


SOBOGRIP PROSAFE PROTECTIVE FLOOR

SECURE, TIME SAVING AND SIMPLE!

The SoboGrip ProSafe protective floor is an innovative and professional load securing concept from Sortimo which enables a completely flexible lashing of goods on the floor. That way, goods can be secured more quickly, more diversely and more efficiently than ever before. In addition the SoboGrip ProSafe floor is compatible with all ProSafe applications, such as for example straps or restraint poles and enables a quick and easy assembly of Sortimo van racking systems by means of preconfigured connection points.

The Sortimo SoboGrip ProSafe protective floor is the modular base load securing concept with

- √ highest safety standard,
- √ variable applicability,
- √ optimum efficiency for your workday!



8

GLOBELYST - AT A GLANCE



ProSafe

racking solution.

The load safety system is integrated

into the poles and traverses of the van

Shutter

With the shutter made out of hollow-

The optional lock provides additional

protection against unauthorized access.

cover takes only one movement.

chamber profiles, load safety and visual

Xpress – All the designs featured in this brochure are Xpress. Normal delivery time is 16 working days however Xpress offers a reduced delivery and installation time.



Composite long components tray

The long components tray allows you to transport longer items in the vehicle without any problem.

Sortimo S-BOXX

Sortimo's S-BOXXes are available in two widths and heights. They are the ideal container for small components, spare parts or screws and can be securely locked on the shelf. You can pull the drawer out for easy access to all parts.

Sortimo i-BOXX

The i-BOXXes from Sortimo are clever little storage solutions that can be used on their own or as part of the LS-BOXX. They are available in two heights and can be fitted with Inset boxes.

Sortimo accessories

Original accessories from Sortimo are practical supplementary products for all trades and industries. From the cable holder to the cable hook -Sortimo will fulfil your requirements.

Racks and trays

Up to the last corner, the space in your vehicle can be utilised: Tools and spare parts can be neatly arranged in the racks and trays of Globelyst.

Floor fronts provide for order, visual cover and safety in the vehicle.

Case clamp

i-BOXX Adaptor plate

vehicle itself

Your i-BOXX is securely locked in place

i-BOXX holder. The holder can be screwed

during transport with the aid of the

to the perforated side panel or to the

Secures tool and machine cases and can be positioned in no time.

MultiSlide

The MultiSlide allows an easy handling of all cases and BOXXes. With the full-extension slide the lids can be opened completely and small parts and tools can be accessed quickly.

The basis for your in-vehicle equipment is the safety or protective floor. You can choose between a variety of floors. The floors are cut to size for different vehicle models, offer integrated lashing possibilities and protect the vehicle floor from damage.

Sortimo L-BOXX and LS-BOXX

Mobile plastic boxes with a wide variety of possible partitions, available in five heights. L-BOXXes can be guickly click-joined with each other and transported as one.

Sortimo T-BOXX

Thanks to the practical plastic case with the transparent lid you can see right away what is in the BOXX. The T-BOXX can be safely stored in the vehicle equipment.

Sortimo M-BOXX

A large mobile box with handle, also available with a lid. The M-BOXX locks in the system and can also be used as a drawer.

Metal case


The original case is available in many different variants. The case is on rails and can be pulled out completely.

Drawers

The new drawers with their user-friendly handles made from impact-resistant plastic are fully extendible and can be loaded with up to 80 kg. They are available in four different widths and heights.

Workbenches

Sortimo workbenches turn your van into a mobile workshop. Both, folding and extendible workbenches are available and can be supplemented with a rotating vice plate and a vice.



Floor front

Safety and protective floors


www.sortimo.co.uk

RENAULT KANGOO BLOCKS


WHEELBASE: 2697 mm | YEAR BUILD FROM 2013

Step 1: Select the equipment that suits you most.





LEFT SIDE (PASSENGERS SIDE)







RKNS 1

- ▶ Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 762 x 382 x 950 mm Weight: approx. 14 kg

£ 300.00



RKNS 2

- ► Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers

W x D x H: approx. 762 x 382 x 984 mm

▶ 1 shelf with 4 S-BOXXes

Weight: approx. 22 kg

£ 440.00

▶ 1 base plinth



- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with mat and dividers
- ▶ 3 drawers with mats and dividers
- ▶ 1 base plinth



€ 670.00



- ► Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers

Weight: approx. 28 kg

£ 475.00

▶ 1 base plinth



- ► Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mat and dividers
- ▶ 1 shelf with 1 S-BOXX and 2 M-BOXXes, one with handle

W x D x H: approx. 1246 x 382 x 1069 mm

- ▶ 1 shelf with 7 S-BOXXes
- ▶ 1 base plinth



RKOS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mat and dividers
- ▶ 2 drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails
- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 lifting flap
- ▶ 1 base plinth

W x D x H: approx. 1246 x 382 x 969 mm Weight: approx. 49 kg

£ 585.00

Weigth: approx. 34 kg

£ 1020.00













W x D x H: approx. 1246 x 382 x 1069 mm

RENAULT KANGOO L2 BLOCKS

WHEELBASE: 3081 mm | YEAR BUILD FROM 2013

Step 1: Select the equipment that suits you most.













RKLNS 1

- ▶ Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1004 x 382 x 950 mm Weight: approx. 16 kg

£ 310.00

RKLNS 2

► Aluminium uprights with ProSafe

W x D x H: approx. 1004 x 382 x 984 mm

- ▶ 1 shelf tray with mat and dividers
- ▶ 1 shelf with 2 T-BOXXes
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX

Weight: approx. 30 kg

£ 545.00

▶ 1 base plinth



RKLNS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf tray with 4 S-BOXXes and 1 wide S-BOXX
 - ▶ 2 drawers with mats and dividers
 - ▶ 1 shelf with 2 T-BOXXes

£ 800.00

▶ 1 base plinth





- ► Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth



£ 590.00



- ► Aluminium uprights with ProSafe
- ▶ 1 shelf tray with mat and dividers
- ▶ 1 shelf tray with 3 M-BOXXes
- ▶ 1 shelf with 7 S-BOXXes and 1 wide S-BOXX
- ▶ 1 base plinth



RKLOS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with mat and dividers
- ▶ 2 drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails ▶ 1 shelf with 7 S-BOXXes and
- ▶ 1 lifting flap
- ▶ 1 base plinth

1 wide S-BOXX

W x D x H: approx. 1488 x 382 x 1069 mm Weight: approx. 56 kg





Weigth: approx. 39 kg








W x D x H: approx. 1488 x 382 x 1069 mm









RENAULT KANGOO FLOOR / WALL

WHEELBASE: 2697/3081 mm | YEAR BUILD FROM 2013

Step

Step 2: Select the appropriate floor

SOBOGRIP®-PROTECTIVE FLOOR

Vehicle model	Wheelbase	Article-No.	£/pc.	• 9 mm protective floor
► Renault Kangoo	2697 mm L1	331013207	180.00	 highly scratch and impact
► Renault Kangoo	3081 mm L2	331017395	180.00	resistant
				 cut-to-size for your vehicle
				 no drilling of the vehicle floor

Step 3: Select the appropriate side cladding

SOWAFLEX®

▶ the lightweight and sturdy wall cladding

- Protects the inside of the vehicle against damages
- highly puncture and crack resistant

• damp and chemical resistant

- cut-to-size for all vehicle models
- 60% lighter than wood

Vehicle model	Wheelbase	Roof	Wall cladding	Article No.	£/pc.
► Renault Kangoo	2697 mm L1	H1	2/4/8	331013211	95.00
▶ Renault Kangoo	3081 mm L2	H1	2/4/8	331017384	110.00

RENAULT TRAFIC SWB BLOCKS

WHEELBASE: 3098 mm | YEAR BUILD FROM 2014

Step 1: Select the equipment that suits you most.



Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.





EFT SIDE (PASSENGERS SIDE)



RIGHT SIDE (DRIVERS SIDE)



▶ Aluminium uprights with ProSafe

- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1004 x 382 x 1120 mm Weight: approx. 24 kg

£ 440.00



RTSNS 2

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX

W x D x H: approx. 1004 x 382 x 1120 mm

- ▶ 1 shelf with 2 M-BOXXes, one with handle
- ▶ 1 shelf tray with mat and dividers
- ▶ 1 base plinth

Weight: approx. 29 kg

£ 525.00



RTSNS 3

- ▶ Aluminium uprights with ProSafe
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf with mat and dividers
- ▶ 2 T-BOXXes on gide rails
- ▶ 2 drawers with mats and dividers
- ▶ 1 lifting flap
- ▶ 1 base plinth

W x D x H: approx. 1004 x 382 x 1120 mm Weight: approx. 43 kg



- ▶ 6 shelves with mats and dividers
- ▶ 2 base plinths





- ► Aluminium uprights with ProSafe
- ▶ 4 shelves with mats and dividers
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf with 2 M-BOXXes
- ▶ 1 shelf with 2 T-BOXXes on guide rails
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 1972 x 382 x 1205 mm W x D x H: approx. 1972 x 382 x 1205 mm Weigth: approx. 58 kg



RTSOS 3

- ► Aluminium uprights with ProSafe
- ▶ 4 shelves with mats and dividers
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 2 drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails
- ▶ 1 case on tray slide ▶ 1 lifting flap
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 1972 x 382 x 1205 mm

Weight: approx. 73 kg

£ 1,090.00

£ 1,455.00



€ 890.00

£ 750.00

Weight: approx. 44 kg














RENAULT TRAFIC LWB BLOCKS

WHEELBASE: 3498 mm | YEAR BUILD FROM 2014


Step 1: Select the equipment that suits you most.















- ▶ Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1246 x 382 x 1120 mm Weight: approx. 28 kg

£ 480.00

RTLNS 2

- ➤ Aluminium uprights with ProSafe
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX

W x D x H: approx. 1246 x 382 x 1120 mm

- ▶ 1 shelf with 2 M-BOXXes, one with handle and 1 S-BOXX
- ▶ 1 shelf tray with mats and dividers

Weight: approx. 33 kg

£ 570.00

▶ 1 base plinth



- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf with mat and dividers
- ▶ 2 drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails
- ▶ 1 lifting flap
- ▶ 1 low base plinth

W x D x H: approx. 1246 x 382 x 1120 mm Weight: approx. 51 kg

£ 980.00







W x D x H: approx. 2214 x 382 x 1205 mm Weight: approx. 47 kg

£ 790.00



- ► Aluminium uprights with ProSafe
- ▶ 4 shelves with mats and dividers
- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf with 2 T-BOXXes on guide rails
- ▶ 1 case clamp
- ▶ 1 base plinth

£ 1,135.00





RTLOS 3

- ► Aluminium uprights with ProSafe
- ▶ 4 shelves with mats and dividers
- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 2 drawers with mats and dividers ▶ 2 T-BOXXes on guide rails
- ▶ 1 case on tray slide
- ▶ 1 lifting flap
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 2214 x 382 x 1205 mm Weight: approx. 76 kg

£ 1,490.00













RENAULT TRAFIC FLOOR / WALL

WHEELBASE: 3098 / 3498 mm | YEAR BUILD FROM 2014

s

Step 2: Select the appropriate floor

SOBOGRIP®-PROTECTIVE FLOOR

Vehicle model	Wheelbase	Article-No.	£ / pc.	9 mm protective floor
Renault Trafic	3098 mm L1	1000003018	330.00	 highly scratch and impact
Renault Trafic	3498 mm L2	1000003024	310.00	resistant
				 cut-to-size for your vehicle
				 no drilling of the vehicle floor

Step 3: Sele

Step 3: Select the appropriate side cladding

SOWAFLEX®

▶ the lightweight and sturdy wall cladding

- Protects the inside of the vehicle against damages
- highly puncture and crack resistant
- damp and chemical resistant

- cut-to-size for all vehicle models
- 60% lighter than wood

Vehicle model	Wheelbase	Roof	Wall cladding	Article No.	£/pc.
► Renault Trafic	3098 mm L1	H1	1-4 7/8	1000003046	230.00
► Renault Trafic	3498 mm L2	H1	1-4 7/8	1000003784	235.00

RENAULT MASTER SWB BLOCKS

WHEELBASE: 3182 mm | YEAR BUILD FROM 2010

Step 1: Select the equipment that suits you most.




Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.










RIGHT SIDE (DRIVERS SIDE)




- ▶ Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1004 x 382 x 1188 mm Weight: approx. 26 kg

£ 475.00





Weight: approx. 43 kg

£ 840.00

£ 1,135.00

Weight: approx. 57 kg




RMSNS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 2 shelf trays with mats and dividers

W x D x H: approx. 1004 x 382 x 1528 mm

- ▶ 2 drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails
- ▶ 1 lifting flap
- ▶ 1 base plinth



£ 985.00



- ▶ 1 shelf with 2 M-BOXXes
- ▶ 1 shelf with 2 T-BOXXes on guide rails
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 1972 x 382 x 1528 mm

Weigth: approx. 61 kg

RMSOS 3 ► Aluminium uprights with ProSafe ▶ 3 shelf trays with mats and dividers ▶ 2 shelves with 4 S-BOXXes and 1 wide S-BOXX each ▶ 1 shelf with 2 T-BOXXes on gide rails

- ▶ 1 shelf with 2 M-BOXXxes ▶ 2 drawers with mats and dividers
- ▶ 1 lifting flap
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 1972 x 382 x 1528 mm Weight: approx. 77 kg

£ 1,625.00



£ 1,280.00











RENAULT MASTER MWB BLOCKS

WHEELBASE: 3682 mm | YEAR BUILD FROM 2010

Step 1: Select the equipment that suits you most.











- ▶ Aluminium uprights with ProSafe
- ▶ 3 shelf trays with mats and dividers
- ▶ 1 base plinth

W x D x H: approx. 1246 x 382 x 1188 mm Weight: approx. 29 kg



RMMNS 2

- Aluminium uprights with ProSafe
- ▶ 2 shelf trays with mats and dividers
- ▶ 1 shelf with 2 T-BOXXes on guide rails and 1 low S-BOXX
- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf with 2 M-BOXXes and 1 S-BOXX
- ▶ 1 base plinth

W x D x H: approx. 1246 x 382 x 1528 mm Weight: approx. 48 kg



RMMNS 3

- ► Aluminium uprights with ProSafe
- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- ≥ 2 shelf trays with mats and dividers
- ▶ 3 drawers with mats and dividers
- ▶ 2 T-BOXXes on guide rails
- ▶ 1 lifting flap

▶ 1 case on slide tray

▶ 1 base plinth

W x D x H: approx. 1246 x 382 x 1528 mm Weight: approx. 67 kg





W x D x H: approx. 2456 x 382 x 1528 mm Weight: approx. 57 kg



- ► Aluminium uprights with ProSafe ▶ 4 shelf trays with mats and dividers
- ▶ 2 shelves with 5 S-BOXXes and 1 wide S-BOXX on each
- ▶ 1 shelf with 2 T-BOXXes and 1 S-BOXX
- ▶ 1 shelf with 2 M-BOXXes and 1 S-BOXX
- ▶ 1 case clamp
- ▶ 1 base plinth

W x D x H: approx. 2456 x 382 x 1528 mm Weigth: approx. 69 kg



- ▶ 4 shelf trays with mats and dividers
- ▶ 1 shelf with 2 M-BOXXes and 1 S-BOXX
- ▶ 2 T-BOXXes on shelf with 1 S-BOXX ▶ 2 shelves with 5 S-BOXXes and
 - 1 wide S-BOXX on each
- 3 drawers with mats and dividers
- ▶ 1 L-BOXX and 1 T-BOXX on guide rails
- ▶ 1 case on slide tray
- ▶ 1 case clamp, 1 lifting flap, 1 base plinth

W x D x H: approx. 2456 x 382 x 1528 mm Weight: approx. 108 kg

£ 2,210.00

£ 515.00

£ 910.00

£ 1,390.00

£ 1,085.00



£ 1,390.00











RENAULT MASTER FLOOR / WALLS

WHEELBASE: 3182 / 3682 mm | YEAR BUILD FROM 2010

2

Step 2: Select the appropriate floor

SOBOGRIP®-PROTECTIVE FLOOR

Vehicle	model	Wheelbase	Article-No.	£/pc.
▶ Renault	Master	3182 mm L1	331017082	265.00
Renault	Master	3682 mm L2	331017121	260.00
▶ Renault	Master RWD	3682 mm L2	331016914	315.00

- 9 mm protective floor
- highly scratch and impact resistant
- cut-to-size for your vehicle
- no drilling of the vehicle floor

3

Step 3: Select the appropriate side cladding


SOWAFLEX®

▶ the lightweight and sturdy wall cladding

- Protects the inside of the vehicle against damages
- highly puncture and crack resistant
- damp and chemical resistant

- cut-to-size for all vehicle models
- 60% lighter than wood

Vehicle model	Wheelbase	Roof	Wall cladding	Article No.	£/pc.
Renault Master	3182 mm L1	H1	1-4 7/8	1000001114	225.00
Renault Master	3182 mm L1	H2	1-4 7/8	1000001115	260.00
Renault Master	3682 mm L2	H1/ H2	1-4 7/8	331017077	260.00
Renault Master RWD	3682 mm L2	H2	1-4 7/8	1000001854	280.00







ORIGINAL ACCESSORIES FROM SORTIMO


inset boxes and dividers - a system of order for all drawers





▶ LED internal lamp - to light up the night





▶ The aluminium plate not only looks good, it is the basis for many options from the Sortimo accessories programme.




SORTIMO IN UK AND IRELAND

Sortimo UK & Ireland

Sortimo International Ltd 14 - 17 Ravenhurst Court Risley Warrington, Cheshire

Fax +44 (0)1925 848232 sales@sortimo.co.uk www.sortimo.co.uk





Check out our Online Shop!

www.sortimo.co.uk



Sortimo International Ltd · 14-17 Ravenhurst Court Birchwood · Warrington · Cheshire WA3 6PN Phone: +44 (0)1925 831636 · Fax: +44 (0)1925 848232 E-mail: info@sortimo.co.uk · www.sortimo.co.uk